

ORG7402

ORG7402



Mercedes-Benz

Mercedes-Benz USA, LLC  
A Daimler Company

December 7, 2011

National Highway Traffic Safety Administration  
Attention: Jeanette Chow, VIN Coordinator - W43-488  
1200 New Jersey Avenue, SE  
West Building  
Washington, DC 20590

Subject: Part 565.7 (c), VIN Reporting Requirements

Dear Ms. Chow:

Mercedes-Benz USA, LLC hereby submits updated VIN deciphering information defined in 'red' for model year 2012 Mercedes-Benz, Maybach, and smart vehicles, pursuant to the requirements set forth in 49 CFR Part 565.7(c).

If you have any questions please don't hesitate to contact Dan Selke, of my staff, at 201-573-2616 (Daniel.Selke@mbusa.com).

Sincerely,

R. Thomas Brunner  
Department Manager  
Vehicle Compliance & Analysis  
Engineering Services

cc: Dr. Peter Schramm (MCG)  
VIN submission File

Mercedes-Benz USA, LLC  
One Mercedes Drive  
P.O. Box 350  
Montvale, NJ 07645-0350  
Phone (201) 573-0600  
Fax (201) 573-0117  
www.MBUSA.com



Mercedes-Benz, Maybach, and smart Vehicle Identification Number Attributes for Model Year 2012 (December 7, 2011) – Page 1 of 8

WMI	First 4 Characters of Second VIN Section	Line	Make	Series	Body Type	Engine Type
WDB	SK7B	(SL-Class)	Mercedes-Benz	SL550	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDB	SK7A	(SL-Class)	Mercedes-Benz	SL63 AMG	2-Door Convertible	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	PK4H	(SLK-Class)	Mercedes-Benz	SLK250	2-Door Convertible	1.8 Liter, In-Line Type 4 cyl., Gasoline
WDD	PK5H	(SLK-Class)	Mercedes-Benz	SLK350	2-Door Convertible	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	PK7F	(SLK-Class)	Mercedes-Benz	SLK55 AMG	2-Door Convertible	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HF2E	(E-Class)	Mercedes-Benz	E350 BLUETEC	4-Door Sedan	3.0 Liter, V-Type 6 cyl., Diesel
WDD	HF5G	(E-Class)	Mercedes-Benz	E350	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF5K	(E-Class)	Mercedes-Benz	E350	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HH8H	(E-Class)	Mercedes-Benz	E350	4-Door Sedan 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF8H	(E-Class)	Mercedes-Benz	E350	4-Door Wagon 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF8J	(E-Class)	Mercedes-Benz	E350	4-Door Sedan 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	HF9B	(E-Class)	Mercedes-Benz	E550	4-Door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	HF7E	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	HH7E	(E-Class)	Mercedes-Benz	E63 AMG	4-Door Wagon	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7D	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ9B	(CLS-Class)	Mercedes-Benz	CLS550	4-Door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	LJ7E	(CLS-Class)	Mercedes-Benz	CLS63 AMG	4-Door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	GF4H	(C-Class)	Mercedes-Benz	C250	4-Door Sedan	1.8 Liter, In-Line Type 4 cyl., Gasoline
WDD	GF8B	(C-Class)	Mercedes-Benz	C300	4-Door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Gasoline
WDD	GF5H	(C-Class)	Mercedes-Benz	C350	4-Door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GF7H	(C-Class)	Mercedes-Benz	C63 AMG	4-Door Sedan	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	GJ4H	(C-Class)	Mercedes-Benz	C250	2-Door Coupe	1.8 Liter, In-Line Type 4 cyl., Gasoline
WDD	GJ8J	(C-Class)	Mercedes-Benz	C350	2-Door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ5H	(C-Class)	Mercedes-Benz	C350	2-Door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	GJ7H	(C-Class)	Mercedes-Benz	C63 AMG	2-Door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	FH8G	(B-Class)	Mercedes-Benz	Fuel Cell	4-Door Sedan	Fuel Cell; Compressed Hydrogen

**Mercedes-Benz, Maybach, and smart Vehicle Identification Number Attributes for Model Year 2012 – Page 2 of 8**

<b>WMI</b>	<b>First 4 Characters of Second VIN Section</b>	<b>Line</b>	<b>Make</b>	<b>Series</b>	<b>Body Type</b>	<b>Engine Type</b>
WDD	KJ5G	(E-Class)	Mercedes-Benz	E350	2-door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ5K	(E-Class)	Mercedes-Benz	E350	2-door Coupe	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ8J	(E-Class)	Mercedes-Benz	E350	2-door Coupe 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KJ7D	(E-Class)	Mercedes-Benz	E550	2-door Coupe	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	KK5G	(E-Class)	Mercedes-Benz	E350	2-door Cabriolet	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KK5K	(E-Class)	Mercedes-Benz	E350	2-door Cabriolet	3.5 Liter, V-Type 6 cyl., Gasoline
WDD	KK7D	(E-Class)	Mercedes-Benz	E550	2-door Cabriolet	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	EJ9E	(CL-Class)	Mercedes-Benz	CL550	2-door Coupe 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	EJ7E	(CL-Class)	Mercedes-Benz	CL63 AMG	2-door Coupe	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	EJ7G	(CL-Class)	Mercedes-Benz	CL600 Bi-T	2-door Coupe	5.5 Liter, V-Type 12 cyl., Gasoline
WDD	EJ7K	(CL-Class)	Mercedes-Benz	CL65 AMG	2-door Coupe	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	NG9F	(S-Class)	Mercedes-Benz	S400 Hybrid	4-door Sedan	3.5 Liter, V-Type 6 cyl., Gasoline, Hybrid
WDD	NG8D	(S-Class)	Mercedes-Benz	S350 BLUETEC	4-door Sedan 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel
WDD	NG7D	(S-Class)	Mercedes-Benz	S550	4-door Sedan	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	NG9E	(S-Class)	Mercedes-Benz	S550	4-door Sedan 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline
WDD	NG7G	(S-Class)	Mercedes-Benz	S600 Bi-T	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDD	NG7E	(S-Class)	Mercedes-Benz	S63 AMG	4-door Sedan	5.5 Liter, V-Type 8 cyl., Gasoline
WDD	NG7K	(S-Class)	Mercedes-Benz	S65 AMG	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDD	RJ7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Coupe	6.2 Liter, V-Type 8 cyl., Gasoline
WDD	RK7H	(SLS-Class)	Mercedes-Benz	SLS AMG	2-door Roadster	6.2 Liter, V-Type 8 cyl., Gasoline
WDB	VF7J	(Maybach)	Maybach	57	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDB	VF7H	(Maybach)	Maybach	57S	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WDB	VG7J	(Maybach)	Maybach	62	4-door Sedan	5.5 Liter, V-Type 12 cyl., Gasoline
WDB	VG7H	(Maybach)	Maybach	62S	4-door Sedan	6.0 Liter, V-Type 12 cyl., Gasoline
WME	EJ3B	(smart)	smart	fortwo coupe	2-door Coupe	1.0 Liter, In-Line Type 3 cyl., Gasoline
WME	EK3B	(smart)	smart	fortwo cabrio	2-door Convertible	1.0 Liter, In-Line Type 3 cyl., Gasoline

Fifth Character of Second VIN Section	Restraint Systems and their location
<i>A</i> *)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
<i>B</i> **)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>C</i> ***)	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
<i>D</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
<i>E</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> , 2 <sup>nd</sup> and 3 <sup>rd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>F</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

\*) Lines 172; 230; 451, 197

\*\*\*) Lines 204; 207 (212 Coupe); 212; 216; 219; 221; 240

\*\*\*) Line 207 (Cabriolet)

Plant Designation Codes for WDB: **A, B, C, D** = Sindelfingen; **E** = Juiz de Fora (Brazil); **F, G, H** = Bremen

Plant Designation Codes for WDD: **A, B, C, D** = Sindelfingen; **F, G, H** = Bremen; **J, K** = Rastatt; **R, S** = East London (South Africa)

Plant Designation Codes for WME: **J, K** = Hambach (France)

4-MATIC = All Wheel Drive

Mercedes-Benz, Maybach, and smart Vehicle Identification Number Attributes for Model Year 2012 – Page 4 of 8

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
4JG	DA2E	(M-Class)	ML350 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA5H	(M-Class)	ML350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7D	(M-Class)	ML550	Mercedes-Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	DA7E	(M-Class)	ML63 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	CB2F	(R-Class)	R350 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	CB5H	(R-Class)	R350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF2F	(GL-Class)	GL350 BLUETEC	Mercedes-Benz	4-door MPV 4-MATIC	3.0 Liter, V-Type 6 cyl., Diesel	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF7B	(GL-Class)	GL450	Mercedes-Benz	4-door MPV 4-MATIC	4.7 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
4JG	BF8G	(GL-Class)	GL550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)
WDC	YC3H	(G-Class)	G550	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Standard equipment:</b> <b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)  <b>Option "armored vehicle":</b> <b>Class H</b> = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)
WDC	YC7B	(G-Class)	G55 AMG	Mercedes-Benz	4-door MPV 4-MATIC	5.5 Liter, V-Type 8 cyl., Gasoline	<b>Standard equipment:</b> <b>Class E</b> = greater than 2722 kg to 3175 kg (6001 lbs to 7000 lbs)  <b>Option "armored vehicle":</b> <b>Class H</b> = greater than 4082 kg to 4536 kg (9001 lbs to 10000 lbs)

Mercedes-Benz, Maybach, and smart Vehicle Identification Number Attributes for Model Year 2012 – Page 5 of 8

WMI	First 4 Characters of Second VIN Section	Line	Series	Make	Body Type	Engine Type	Gross Vehicle Weight Rating
WDC	GG5G	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)
WDC	GG8H	(GLK-Class)	GLK350	Mercedes-Benz	4-door MPV 4-MATIC	3.5 Liter, V-Type 6 cyl., Gasoline	Class D = greater than 2268 kg to 2722 kg (5001 lbs to 6000 lbs)

**Mercedes-Benz, Maybach, and smart Vehicle Identification Number Attributes for Model Year 2012 – Page 6 of 8**

**Fifth Character  
of Second VIN  
Section**

**Restraint Systems and their location**

<i>A</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts with load limiters and pretensioners for driver and front passenger.
<i>B*)</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>C</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with pretensioners. Seat belts for front passengers are additionally equipped with load limiters.
<i>D</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> and 2 <sup>nd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters. Seat belts for front passengers are additionally equipped with pretensioners.
<i>E**)</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> , 2 <sup>nd</sup> and 3 <sup>rd</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.
<i>F</i>	Inflatable front protection systems for driver and front passenger as well as inflatable side protection systems (1 <sup>st</sup> row) and type 2 seat belts for all occupants. Seat belts on all outboard designated seating positions are equipped with load limiters and pretensioners.

\*) Lines: 166 (M-class); X164 (GL-class with two seating rows); 251 (R-class with two seating rows); 463 (G-class); X204 (GLK-Class)

\*\*\*) Lines: X164 (GL-class with three seating rows); 251 (R-class with three seating rows)

Plant Designation Code for 4JG: (ML-; GL-; and R-Class): **A** = Vance (USA, AL)

Plant Designation Code for WDC: (GLK-; and G-Class): **F** = Bremen; **X** = Graz (Austria)

4-MATIC = All Wheel Drive

**VIN Explanation**

**Model Year 2012 S550 VIN**

**WDD NG9E B 6 C A 000000**

**Manufacturer's Code**

**Model Type**

**Restraint System**

**Check Digit**

**Model Year**

**Plant Codes (WDB):**

A,B,C,D = Sindelfingen  
 E = Juiz De Fora (Brazil)  
 F,G,H = Bremen

**Plant Code (WDC):**

X = Graz (Austria)  
 F = Bremen

**Plant Codes (WDD):**

A = Sindelfingen  
 F,G,H = Bremen  
 J = Rastatt  
 M = Woking (UK) – SLR McLaren  
 R, S = East London (South Africa)


**Plant Code (WME):**

J = Hambach (France)

**Plant Code (4JG):**


A = Vance, Alabama (US)

**Sequential Serial Number (6 digits)**



**Chassis Explanation**

**MY12 S550 chassis no. corresponding to VIN WDDNG9EB6AA000000 WDD 221 194 1 A 000000**



**\*Baumuster codes:**

- |             |               |               |         |          |               |               |                     |
|-------------|---------------|---------------|---------|----------|---------------|---------------|---------------------|
| 164/166 = M | 204 = C       | 219/218 = CLS | 251 = R | 212 = E  | 230 = SL      | 171/172 = SLK | 197 = SLS           |
| 164 = GL    | 207 = E coupe | 221 = S       | 463 = G | 216 = CL | 240 = Maybach | 204 = GLK     | 245 = B (Fuel Cell) |
| 451 = smart |               |               |         |          |               |               |                     |