

REAL-WORLD PEDESTRIAN CRASHES: INJURY TRENDS AND FATALITY RISKS

Peter G. Martin, NHTSA

Melissa Pfeiffer, MRP Consulting, TRC Inc.




This study examined the following statistical question:

*I*s the proportion of pedestrians sustaining serious injuries lower in collisions with recent generations of passenger vehicles versus older generations?


50th Anniversary of the U.S. Department of Transportation




History Lesson: National Traffic and Motor Vehicle Safety Act of 1966




Original Requirements for ESV Safety Features




Original Requirements for ESV Safety Features



Vehicle Crashworthiness for Pedestrian Safety: Early Research at NHTSA






150 ms

International Pedestrian Safety Regulations and Assessments


International Regulatory Requirements



International NCAP Assessments


International Pedestrian Safety Regulations and Assessments

International Regulatory Requirements



Phase-in of Domestic Requirements

Full Reg. No. 127 Phase-in



Pedestrian Score needed,

Overall

New Headform Protocol,
Flex-GTR Leg



Improvements in Euro NCAP scores. Case study: Ford Focus.

Ford Focus, 2nd Generation

Production:

U.S. 2007-2010 (MY2008-MY2011)

E.U. 2004-2010, Ford C1 platform



Score: 15 of 36 points

(n/a on headform, legform scores)

Tested by EuroNCAP in 2004

5 door hatch, Trend 1.6, 1248 kg

Ford Focus, 3rd Generation

Production: 2011-present, Ford global C-car platform.

U.S. Debut: MY2012

E.U. Debut: MY2011



Score: 26 of 36 points

(16 pts headform, 6 pt ULF, 4 pts LLF)

Tested by EuroNCAP in 2012

Small Family, 1.6 TDCI Trend, 1344 kg

Ford Focus – 2nd vs. 3rd Generation



Ford Focus – 2nd vs. 3rd Generation



Ford Focus – 2nd vs. 3rd Generation



Do better pedestrian assessment scores lead to injury reductions in *the real world*?



Correlation between pedestrian injury severity in real-life crashes and Euro NCAP pedestrian test results

Claus Pastor
Federal Highway Research Institute (BAST)
Germany
Paper Number 13-0308

ABSTRACT


In Germany the number of casualties in passenger

identified comparing diesel and gasoline cars. Higher engine displacements are associated with a lower injury risk for pedestrians. The most relevant parameter has been “time of accident” whereas

2013 BAST study: Euro NCAP pedestrian scores vs. GIDAS real-world pedestrian injury rates.

Make-Model	  Score (36 pt. max)	 Ped. Crash incidence	No. of Serious Injuries	No. of Fatalities
2003 Audi A3	8	188	N_{s1}	N_{f1}
2004 BMW 5	2	62	N_{s2}	N_{f2}
.
.
.
2006 VW Touran	19	270	N_{s203}	N_{f203}

2013 BAST study: Euro NCAP pedestrian scores vs. GIDAS real-world pedestrian injury rates.



Finding: Each point in NCAP score reduces fatalities by 2.5% and serious injuries by 1%.

2013 BAST study: Euro NCAP pedestrian scores vs. GIDAS real-world pedestrian injury rates.

Demonstrates that a good pedestrian assessment will lead to reductions in pedestrian injuries in **EUROPE**.




2013 BAST study: Euro NCAP pedestrian scores vs. GIDAS real-world pedestrian injury rates.

Says nothing about the situation in the U.S.A.



Does the U.S. variant of a make/model offer the same pedestrian safety design features as the European variant?



Cost and Weight Analysis for Pedestrian Protection

November 2014

See: www.regulations.gov

Docket No. NHTSA-2011-0066-0090

Teardown Study of 3rd Generation Ford Focus U.S. vs. European variants

2012 European Ford Focus



2012 U.S. Ford Focus



- Both are built on Ford Global 1 platform
- Tear down of E.U. vs. U.S. variants
- Part-by-part comparison


Teardown Study of 3rd Generation Ford Focus U.S. vs. European variants

Same parts: The majority of the parts are the same or very similar, with carryover part numbers, including the hood, hinges, and latches.



Teardown Study of 3rd Generation Ford Focus U.S. vs. European variants

Different parts:




NOTE: Basic shape of all parts is virtually the same!


Example of a difference between European vs. U.S. variants: Lower valence/air deflector

Front-end Underside, Ford Focus (U.S. variant)


Lower valence/air deflector



Example of a difference between European vs. U.S. variants: Lower valence/air deflector



Example of a difference between European vs. U.S. variants: Lower valence/air deflector




Does the very latest vehicle generation of passenger cars offer better safety to pedestrians than previous generations?

“Conventional Wisdom” leads us to believe “YES”

- *As regulatory requirements and NCAP assessments in the Europe and Japan have become more demanding over the years, vehicle front-ends have become more pedestrian friendly.*
- *Now more than ever before, many U.S. passenger cars and SUVs share the same basic pedestrian-friendly design underpinnings as model variants sold in Europe.*
- *As vehicle front end have become more pedestrian friendly on European models, so too have they become more pedestrian friendly on U.S. models.*
- *European and North American variants are especially similar in the hood and windshield (sources of most pedestrian head and upper thorax injuries).*
- *Since pedestrian injury rates have dropped in Europe, they should have also dropped in the U.S., too.*



Pedestrian Fatality Trends



Does the very latest vehicle generation of passenger cars offer better safety to pedestrians than previous generations?

Reasons for Pessimism: “NO”

- *Significant differences exist in the bumper area, so injuries induced by the bumper area on recent generations of U.S. variants may not show reductions over previous generations.*
- *Pedestrian fatalities occur mostly at high impact speeds and are unaffected by vehicle designs (pedestrian overshoots hood).*
- *About 10% of European vehicles have active “pop-up hoods” to curb pedestrian injuries – not available on U.S. models so no safety benefit on U.S. variants.*
- *Most vehicles are “uniquely American.” Sharing of design characteristics between U.S. and European variants seen in the exemplar Ford Focus may be unusually strong.*

Does the very latest vehicle generation of passenger cars offer better safety to pedestrians than previous generations?



Hypothesis: Lower risk of pedestrian injuries may be observed in U.S. real-world collisions with more recent vs. older generations of passenger cars.

Statistical Cohorts: Model year groupings and vehicle types

MY2001-MY2005



Group 1.
Cars,
SUVs,
Minivans

MY2011-MY2013



Statistical Cohorts: Model year groupings and vehicle types

MY2001-MY2005



Group 2.
Cars only
(sedans, coupes)

MY2011-MY2013



Statistical Cohorts: Model year groupings and vehicle types

MY2001-MY2005



**Group 3.
Pickups**

MY2011-MY2013




Approach

- Selected crash data from State Data System (SDS)
- Identified crashes involving a pedestrian
- Obtained Model Year (MY) of vehicle that struck the pedestrian
- Classified injury status of pedestrian



State Selection


Crash data 2006 through 2012






State Selection

Similar crash report criteria



State Selection


Pedestrian fatalities and MY





State Selection

Pedestrian fatalities in 2012 crashes



Traffic Safety Facts - Pedestrians , 2012 Data, National Highway Traffic Safety Administration, Report No. DOT HS 811 888, April 2014.

Methods

- Identified crashes involving a pedestrian
 - Only 1 pedestrian involved
- Obtained MY of vehicle that struck pedestrian
 - Based on vehicle events
 - Passenger vehicles
- Classified injury status
 - Excluded pedestrians struck by more than one vehicle



Passenger Vehicles

Analysis limited to passenger vehicles

Vehicle categories

- Passenger Vehicles
 - Automobile
 - Passenger car or station wagon
 - Sport utility vehicle/SUV
 - Van
- Cars
 - Automobile
 - Passenger car or station wagon



Pedestrian Injury Status

Not just fatalities

Injury categories

- Serious injury or fatality
 - Incapacitating injury
 - Serious injury
 - Bleeding wound or distorted member/had to be carried from scene
 - Fatality
- Any injury – Serious injury or fatality plus
 - Moderate injury
 - Minor injury
 - Non-incapacitating injury
 - Injury of unknown severity

Statistical Analysis

Proportion injured

- Calculated two proportions - injured and uninjured
- For each of two model year groupings
 - Fisher's exact test for 2x2 comparisons

Percent change

- Change in proportion injured: Later MY versus earlier MY

Individual and grouped states

- For each state
- For 4 states combined

Results

Serious injury or fatality: Passenger vehicles

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	16%	14%	NS	-11%
	24%	13%	<0.05	-46%
	10%	9%	NS	-12%
	34%	25%	<0.05	-27%
All 4 states	16%	13%	<0.05	-19%

Results

Serious injury or fatality: Cars

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	15%	14%	NS	-2%
	24%	13%	<0.05	-46%
	10%	10%	NS	4%
	32%	30%	NS	-6%
All 4 states	16%	14%	NS	-10%

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”

Results

Any injury: Passenger vehicles

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
 IN	92%	88%	NS	-5%
 MI	92%	90%	NS	-3%
 PA	99%	99%	NS	0%
 VA	93%	78%	<0.05	-16%
All 4 states	96%	92%	<0.05	-4%

Results

Any injury: Cars

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	91%	87%	NS	-5%
 *	92%	90%	NS	-3%
	99%	99%	NS	0%
	92%	81%	<0.05	-12%
All 4 states	96%	92%	<0.05	-4%

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”



Results

Serious injuries and fatalities: Pickups

For comparison, proportion injured by pickup trucks/small trucks

- MY2001-MY2005: 22%
- MY2011-MY2013: 24%
- No significant difference ($p = 0.59$)
- 12% increase

Limitations

- Fatalities: Too few for analysis
- Any injury: May be too common – generally reported
- Serious injuries: Small numbers in the later MY group
- Earlier MY vehicles may have been on the road longer
- Physical location of injury unknown
 - injury to leg or torso from being struck by vehicle versus
 - injury to head or arm by being knocked over

Summary

Is the proportion of pedestrians sustaining serious injuries different in collisions with more recent versus older generation passenger vehicles?

- *Lower* proportion for later MY passenger vehicles
 - Significantly so for 2 of 4 states and when 4 states combined
- *Higher* proportion for later MY pickup trucks

Next Steps

- Update analysis with additional years of crash data
 - May provide greater power to detect differences
- Include additional states in analysis
 - Similar reporting criteria between states may not be important as long as reporting criteria within each state does not change
- Investigate particular make and model and relate pedestrian injury rates to test data

Questions

Peter G. Martin

National Highway Traffic Safety Administration

peter.martin@dot.gov

Melissa Pfeiffer

MRP Consulting, Transportation Research Center Inc.

m.rileypfeiffer@gmail.com



ADDITIONAL INFORMATION



Numbers

Serious injury or fatality: Passenger vehicles

State	Number injured	
	MY2001-MY2005	MY2011-MY2013
	351	16
	565	26
	776	42
	458	35
All 4 states	2,150	119



Results

Serious injury or fatality: Passenger vehicles

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	15.60%	13.91%	0.6936	-10.81%
	23.58%	12.68%	0.0002	-46.22%
	10.42%	9.19%	0.4298	-11.79%
	33.83%	24.82%	0.0306	-26.62%
All 4 states	15.99%	12.96%	0.0149	-18.92%



Numbers

Serious injury or fatality: Cars

State	Number injured	
	MY2001-MY2005	MY2011-MY2013
	234	12
	565	26
	503	31
	284	28
All 4 states	1,586	97

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”



Results

Serious injury or fatality: Cars

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	14.63%	14.29%	1.0000	-2.38%
 *	23.58%	12.68%	0.0002	-46.22%
	9.51%	9.90%	0.7670	4.18%
	31.87%	30.11%	0.8150	-5.54%
All 4 states	15.58%	13.96%	0.2782	-10.44%

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”



Numbers

Any injury: Passenger vehicles

State	Number injured	
	MY2001-MY2005	MY2011-MY2013
	2,070	101
	2,214	184
	7,373	453
	1,257	110
All 4 states	12,914	848



Results

Any injury: Passenger vehicles

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	92.00%	87.83%	0.1163	-4.54%
	92.40%	89.76%	0.1750	-2.87%
	98.99%	99.12%	1.0000	0.13%
	92.84%	78.01%	0.0000	-15.97%
All 4 states	96.03%	92.37%	0.0000	-3.81%



Numbers

Any injury: Cars

State	Number injured	
	MY2001-MY2005	MY2011-MY2013
	1,461	73
	2,214	184
	5,232	309
	820	75
All 4 states	9,727	641

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”



Results

Any injury: Cars

State	Percent injured		P-value	Percent change
	MY2001-MY2005	MY2011-MY2013		
	91.37%	86.90%	0.1662	-4.89%
 *	92.40%	89.76%	0.1750	-2.87%
	98.88%	98.72%	0.7790	-0.16%
	92.03%	80.65%	0.0009	-12.37%
All 4 states	95.58%	92.23%	0.0002	-3.50%

* MI did not have an SUV or Van category – all “passenger vehicles” were “cars”